

2712
1-7

FIG. 1 (PRIOR ART)




FIG. 2





FIG. 3



| | |
|-----------|----------------|
| APPROVED | O.G. FIG. |
| BY | CLASS SUBCLASS |
| DRAFTSMAN | |

FIG. 4A

| Control Command/Support Inquiry Command | | | | | Response | |
|---|----|-----------------------|----|-------|-------------------|------|
| OPC | | OPRs | | Level | OPC | OPRs |
| Notify | C7 | Single Program Number | 00 | R | (Same as command) | |
| | | Multi Program Number | 10 | O | | |
| | | : | : | : | | |

FIG. 4B

| OPR1 | Attribute |
|------|-------------------------|
| 00 | Single Program Number |
| 10 | Multiple Program Number |

FIG. 4C

| OPR | Description | Code |
|------|---------------------------|------|
| OPR1 | Single Program Number | 00 |
| OPR2 | Program Number Upper Byte | XX |
| OPR3 | Program Number Lower Byte | XX |

FIG. 4D

Multiple

| OPR | Description | Code |
|------|-----------------------------|------|
| OPR1 | Multi Program Number | 10 |
| OPR2 | Program Number Count | XX |
| OPR3 | Program Number 1 Upper Byte | XX |
| OPR4 | Program Number 1 Lower Byte | XX |
| OPR5 | Program Number 2 Upper Byte | XX |
| OPR6 | Program Number 2 Lower Byte | XX |
| : | : | : |

46260" 21462600

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 5

| Status Inquiry Command | | | | | Response | | | |
|------------------------|----|-----------------------|----|-------|----------|----|-----------------------|----|
| OPC | | OPRs | | Level | OPC | | OPRs | |
| Query | C8 | Single Program Number | 00 | R | Query | C8 | Single Program Number | 00 |
| | | Multi Program Number | 10 | O | | | Multi Program Number | 10 |
| | | ⋮ | | | | | ⋮ | |

FIG. 6

transmitted first

| | | | | | |
|------------|-------------------------------|-------------|---------|------------|------------|
| 0000 | | subunit_typ | subunit | opcode | operand[0] |
| operand[1] | | operand[2] | | operand[3] | operand[4] |
| ⋮ | | | | | |
| operand[n] | zero pad bytes (if necessary) | | | | |

transmitted last

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 7A

| Value | Command type |
|-------------------|-----------------------------------|
| 0 | CONTROL |
| 1 | STATUS |
| 2 | INQUIRY |
| 3 | NOTIFY |
| 4-7 | Reserved for future specification |
| 8-F ₁₆ | Reserved for response codes |


FIG. 7B

| Value | Response |
|-----------------|-----------------------------------|
| 0-7 | Reserved for command types |
| 8 | NOT IMPLEMENTED |
| 9 | ACCEPTED |
| A ₁₆ | REJECTE |
| B ₁₆ | IN TRANSITION |
| C ₁₆ | IMPLEMENTED/STABLE |
| D ₁₆ | CHANGED |
| E ₁₆ | Reserved for future specification |
| F ₁₆ | INTERIM |

FIG. 7C

| Value | Subunit type |
|--------------------|-----------------------------------|
| 0 | Video monitor |
| 1-3 | Reserved for future specification |
| 4 | Video cassette recorder (VCR) |
| 5 | TV tuner |
| 6 | Reserved for future specification |
| 7 | Video camera |
| 8-1E ₁₆ | Reserved for future specification |
| 1F ₁₆ | Extended subunit |

FIG. 8



466260" 21162680

FIG. 9





FIG. 9



466260" chh6260